

Graphic Innovations

# Marine applications



Engineered to Achieve Perfection™






# ORAFOL Europe GmbH

## Headquarters and production facility

ORAFOL is one of the world's leading manufacturers of innovative self-adhesive graphic films, reflective materials and adhesive tape systems. The international ORAFOL Group is headquartered just outside the city gates of Berlin, in Oranienburg.

### ORAFOL's Worldwide Locations



# Marine applications

**ORAFOL offers a vast range of high quality graphic films for marine applications.**

**Made in Germany.**

---

4	<b>Boat Exteriors - Special Films Colour Applications</b>
4	ORACAL® 975 - Premium Structure Cast
4	ORACAL® 970RA - Premium Shift Effect Cast
4	ORACAL® 970RA - Premium Special Effect Cast
5	<b>Boat Exteriors - Solid Colour Applications</b>
5	ORACAL® 970RA - Premium Wrapping Cast
5	ORACAL® 951 - Premium Cast
5	ORACAL® 751C - High Performance Cast
6	<b>Boat Exteriors - Digital Printing</b>
6	ORAJET® 3951 - Digital Printing Cast
7	<b>Boat Exteriors - Screen Printing</b>
7	ORACAL® 301F - Print Polyester
7	ORAJET® 3301F - Digital Printing Polyester
8	<b>Boat Interiors - Solid Colour Applications</b>
8	ORACAL® 638 - Wall Art
8	ORAJET® 3930 - Luminescent Cast
8	ORALUX® 9300 - Luminescent Cast
9	<b>Boat Interiors - Screen printing films</b>
9	ORACAL® 383 - Ultraleaf Cast
9	ORACAL® 351 - Polyester Film
9	ORACAL® 352 - Print Polyester
9	ORAJET® 3350 - Digital Printing Polyester
10	<b>Boat Interiors - Glass Decorations</b>
10	ORACAL® 8510 - Etched Glass Cal
10	ORACAL® 8710 - Dusted Glass Cal
10	ORACAL® 8810 - Frosted Glass Cast
10	ORAJET® 3851 - Digital Printing Film
11	<b>Surface Guard Films and Surface Treatment</b>
11	ORAGUARD® 2815GF, ORAGUARD 2815GF+, ORAGUARD 2815MF+
11	ORAFOL® Cleaning, Care and Application Products
13	<b>Safety at sea - Retroreflective films</b>
13	ORALITE® FD 1403 - Retroreflective tape
13	ORALITE® FD 1404 - Retroreflective tape
13	ORALITE® VC 310 Marine - Retroreflective Film
14-15	<b>Product Overview</b>

---

# Boat Exteriors - Special Films Colour Applications

## Premium Structure Cast

### ORACAL® 975

Exciting boat tuning film in a range of **different textures** and colours. The ideal design refinement film for boat hulls or boat interiors.

#### Product benefits include:

- Multi-layered Cast PVC (150 micron)
- Five different structured optics
- Several colours in each structure
- Solvent polyacrylate, repositionable, permanent
- Sea water resistance (DIN EN ISO 9227).  
Adhered to aluminium; after 100h/35° C no variation

Black Carbon: Also available in a *RapidAir®* (RA) version. The *RapidAir®* technology allows a rapid and bubble-free application.



Carbon



Honeycomb



Cocoon



Brushed

## Premium Shift Effect Cast

### ORACAL® 970RA

Boat wrapping film with a **unique shade shifting effect depending on viewing angle**. Ideal for wrapping of boat hulls.

#### Product benefits include:

- Multi-layered PVC film (110 micron)
- Glossy or matt finish
- 9 colours
- Solvent polyacrylate, repositionable, permanent
- Sea water resistance (DIN EN ISO 9227).  
Adhered to aluminium; after 100h/35° C no variation

## Premium Special Effect Cast

### ORACAL® 970RA

Same quality as standard ORACAL® 970 film but with a **unique glitter effect**.

#### Product benefits include:

- Multi-layered PVC film (110 micron)
- Glossy or matt finish
- 8 colours
- Solvent polyacrylate, repositionable, permanent
- Sea water resistance (DIN EN ISO 9227).  
Adhered to aluminium; after 100h/35° C no variation

Also available in a *RapidAir®* (RA) version. The *RapidAir®* technology allows a rapid and bubble-free application.



# Boat Exteriors - Solid Colour Applications

Boat wrapping is the ideal alternative to boat painting, which can be a very time consuming process. You will typically be able to wrap a 12-meter boat in one or two working days, where the traditional painting process takes significantly longer. Wrapping also opens up a world of new, exciting and creative design possibilities, with printed designs, subtle design enhancements with textures, or brilliant special effects. **Boat wrapping can be done to all types of boats (above waterline).**

- Significant reduction in application time
- Very affordable price, definitely cheaper than painting
- Unlike painting, vinyl wrapping does not require the time consuming task of masking off
- Environmentally friendly process for the installer
- Easy removal
- The vinyl protects original paint, so the boat hull can appear as new at the point of reselling

## Premium Wrapping Cast

### ORACAL® 970RA

Highest durability and stability

#### Product benefits include:

- Multi-layered high performance cast PVC film (110 micron)
- Glossy or matt finish
- 96 colours

- Solvent polyacrylate, repositionable, permanent
- Sea water resistance (DIN EN ISO 9227).  
Adhered to aluminium; after 100h/35° C no variation

Also available in a *RapidAir®* (RA) version. The *RapidAir®* technology allows a rapid and bubble-free application.

## CAD/CAM

### Premium Cast

### ORACAL® 951

Extreme durability and dimensional stability also in corrugations and on rivets.

#### Product benefits include:

- Premium cast PVC film (50 micron)
- Glossy finish (white and black also available in matt)
- 139 colours
- Solvent polyacrylate, permanent
- Sea water resistance (DIN EN ISO 9227).  
Adhered to aluminium; after 100h/35° C no variation

### High Performance Cast

### ORACAL® 751C

Meets the highest requirements for solidity and durability.

#### Product benefits include:

- High-performance cast PVC film (60 micron)
- 117 high gloss colours + matt black / white
- Solvent polyacrylate, permanent
- Sea water resistance (DIN EN ISO 9227).  
Adhered to aluminium; after 100h/35° C no variation



Boat wrapping unleashes unlimited possibilities for creating unique and personal designs, whilst at the same time benefitting from quick application times and a more environmentally friendly decoration solution.



## Boat Exteriors - Digital Printing

### Digital Printing Cast

# ORAJET® 3951

#### Product benefits include:

- Premium Cast PVC film (55 micron)
- Glossy finish
- White and transparent
- Solvent polyacrylate, repositionable, permanent, grey or transparent
- Recommended laminating films: ORAGUARD® 290/293
- Sea water resistance (DIN EN ISO 9227). Adhered to aluminium; after 100h/35° C no variation

Also available in a *RapidAir*® (RA) version. The *RapidAir*® technology allows a rapid and bubble-free application.



## Boat Exteriors - Screen Printing

### Print Polyester

## ORACAL® 301F

For screen printed decorative labels and doming applications

#### Product benefits include:

- Polyester film (50 micron)
- White gloss, chrome or chrome brushed
- Modified solvent polyacrylate, permanent
- Sea water resistance (DIN EN ISO 9227).
- Adhered to aluminium; after 100h/35° C no variation

### Digital Printing Polyester

## ORAJET® 3301F

For digitally printed decorative labels and doming applications.

#### Product benefits include:

- Polyester film (50 micron)
- Chrome or chrome brushed
- Modified solvent polyacrylate, permanent

## Boat Interiors - Solid Colour Applications

The high quality films from ORAFOL create unlimited design possibilities for boat interiors; from wall art decorations, privacy instalments on glass partitions, textured design enhancements on dashboards – to photoluminescent exit signs. Different applications require different solutions, and within the range from ORAFOL you will find all the specialised films needed. Furniture and construction parts do not have to be removed when being refurbished.

### Wall Art

## ORACAL® 638

The wall art film will provide room for personality and individuality to any boat interior.

#### Product benefits include:

- Soft PVC film (80 micron)
- Matt surface

- 57 colours
- Polyacrylate, easily removable

The ORACAL® 970/975 are also perfect for applications to the interior of the boat. For product details please see pages 4/5.



---

## Photoluminescent Signs and Labelling

For markings of danger spots and decorative elements that are visible at night

### Luminescent Cast

## ORAJET® 3930

Digital printing film with photoluminescent properties, for indoor and outdoor markings.

#### Product benefits include:

- Three-layered, light yellow, cadmium-free, premium cast PVC film (150 micron)
- Glossy surface
- Ink-jet printing with solvent based inks, UV- or Latex inks
- Recommended laminating film: ORAGUARD® 293
- Solvent polyacrylate, permanent


### Luminescent Cast

## ORALUX® 9300

Extreme durability and dimensional stability also in corrugations and on rivets.

#### Product benefits include:

- Three-layered, light yellow, cadmium-free, high performance cast PVC film (150 micron)
- Screen printing
- Glossy satin surface
- Solvent polyacrylate, permanent





# Boat Interiors - Screen Printing Metallised Films

For decorative labels, name- and technical plates, decorations and symbols

## Ultraleaf Cast

### ORACAL® 383

Unique pressure sensitive film for lettering, marking and decoration of windows and signs with highest requirements for long outdoor durability.

#### Product benefits include:

- Metallised cast alkyd resin film (85 micron)
- High-gloss finish
- 3-dimensional embossed in chrome and glossy gold
- Solvent polyacrylate, permanent

## Polyester Film

### ORACAL® 351

This high-gloss metallic film is available in a double-sided version, providing outstanding effects when applied onto transparent surfaces.

#### Product benefits include:

- Metallised polyester film (23 micron / 50 micron)
- Chrome, matt chrome, chrome-brushed, gloss gold on both sides and rose gold
- Top coated surface for printing
- Solvent polyacrylate, permanent

## Print Polyester

### ORACAL® 352

Print polyester for labels and decorations

#### Product benefits include:

- Transparent, white or metallised polyester film (23 or 50 micron)
- Transparent, white and in chrome, matt chrome, brushed chrome and gold
- Outstanding dimensional stability and a good ageing behaviour
- Solvent polyacrylate, permanent

## Digital Printing Polyester

### ORAJET® 3350

For digitally printed labels and decorations

#### Product benefits include:

- Metallised polyester film (50 micron)
- Chrome
- Solvent polyacrylate, permanent

ORACAL® 301F and ORAJET® 3301F are also perfect for interior applications (see page 7).





## Boat Interiors - Glass Decorations

Whether for artistic effect or simply to create privacy, the range of glass decoration films by ORAFOL is the perfect cost-effective alternative to traditional etched glass.

### Etched Glass Cal

## ORACAL® 8510

Used for decorative designs on windows and glass doors. Available in gold and silver-grey in coarse and fine textures.

#### Product benefits include:

- Polymeric PVC film (80 micron)
- Coarse and fine texture

- Wet application is recommended
- Available also with *RapidAir*® for extra easy application (8510RA)
- Solvent polyacrylate, permanent



### Dusted Glass Cal

## ORACAL® 8710

Creates the look of a rough glass surface.

#### Product benefits include:

- Polymeric PVC film (70 micron)
- Medium glossy surface prevents unwanted light reflections
- Wet application is recommended
- Solvent polyacrylate, permanent

### Frosted Glass Cast

## ORACAL® 8810

For extra high quality glass decoration of glass partitions and glass doors. Five soft colours available with a sparkling effect.

#### Product benefits include:

- Cast PVC film (80 micron)
- For a hoar-grost effect
- Solvent polyacrylate, permanent



### Digital Printing Film

## ORAJET® 3851

For digitally printed glass decorations of glass partitions and glass doors.

#### Product benefits include:

- Special polymeric PVC film (80 micron)
- Silvergrey with a fine structure

- Wet application is recommended
- Solvent polyacrylate, permanent

## Surface Guard Films

Use an ORAGUARD® paint protection film for extra protection of areas exposed to mechanical stress. This will ensure long-term durability of boat surfaces. The films are all highly transparent, glossy, highly UV resistant, and with excellent tear strength.

### Stone Guard Films

## ORAGUARD® 2815GF, ORAGUARD® 2815GF+, ORAGUARD® 2815MF+

Surface-functionalized polyurethane film, transparent, optionally matt or glossy with excellent UV resistance and self-healing surface. The surface is particularly resistant to chemicals. The migration of dirt into the film is effectively prevented by the surface coating, making the paint protection film resistant to yellowing. The surfaces of ORAGUARD® 2815GF+ and ORAGUARD® 2815MF+ paint protection films are also characterized by low surface energy (lotus effect).

## ORAFOL® Cleaning, Care and Application Products

### Give your new decor the best possibilities to last

The series of ORAFOL® after care products have been specifically developed for proper surface treatment of the wrapping films from ORAFOL. All the products have been engineered to enable consistent, excellent results. With the ORAFOL® cleaning and care agents you can be sure that you are always working with professional treatment products for your boat. The products are supplied in versions for glossy or matt surfaces.

Product	Type	Item code	Size
Intensive Cleaner	For <b>glossy</b> car wrapping films	359500016	500 ml
Intensive Cleaner	For <b>matt</b> car wrapping films	359500026	500 ml
Long-Lasting Seal	For <b>glossy</b> car wrapping films	359500017	500 ml
Long-Lasting Seal	For <b>matt</b> car wrapping films	359500027	500 ml
ORAFOL Ceramic Coating	Ceramic-polymer coating for ORAFOL car wrapping and paint protection films	359500018	50 ml
ORAFOL Application Gel	Application of self-adhesive graphic films requiring wet application process	359500300	1000 ml

Please refer to the full application instructions on [www.orafol.com](http://www.orafol.com)





With the high-quality graphic films from ORAFOL, there are endless application possibilities for exploring creativity and individual designs within the maritime world. Any low energy surfaces on e.g. Jet Skis, kayaks, surfboards and much more can be decorated. Special films are also available where very high-tack is required, or applications are to be done over very rough surfaces such as hammerschlag.

Contact ORAFOL and let us guide you to the best products for your specific application.



## Safety at sea - Retroreflective films

Since 1980 our retroreflective materials have been used at sea to improve detection during night-time search and rescue missions. The microprismatic technology lengthens the detection sighting distance compared to traditional reflective materials. The FD tapes comply with SOLAS/IMO requirements and are approved by the European BV as well as the US Coast Guard.

### ORALITE® FD 1403

For harsh maritime applications, e.g. sew on PFDs and spray-wear, as well as devices and equipment with rigid substrates such as steel and aluminium.

**Product benefits include:**

- Retroreflective microprismatic tape
- Silver colour
- Pressure sensitive adhesive or textile backing
- No risk of water penetration
- Designed to withstand continuous immersion in sea water and extreme temperatures
- IMO Res. A.658(16) Type I and II

### ORALITE® FD 1404

Flexible marine tape for inflatable devices, inflatable PFDs and immersion suits.

**Product benefits include:**

- Retroreflective microprismatic tape
- Flexible
- Silver colour
- Pressure sensitive adhesive backing
- No risk of water penetration
- Designed to withstand continuous immersion in sea water and extreme temperatures
- IMO Res. A.658(16) Type I


---

### ORALITE® VC 310 Marine

Retroreflective film for application to rigid boat surfaces, visible at distances of more than one kilometer.

**Product benefits include:**

- Retroreflective microprismatic film
- Red, yellow, blue and green
- Pressure sensitive adhesive backing
- Wide widths available (775 mm)



# Product Overview – Marine applications

Films	Product	Short name	Front material	Colours / surfaces Gloss (G), Matt (M), Supermatt (SM)	Adhesive	Covering material	Recommended lamination film (where applicable)	Recom applica
CAD/CAM	ORACAL® 951	Premium Cast	Premium cast PVC film 50 micron	139 colours (G) Black/white (M)	Solvent polyacrylate permanent	Special silicone coated paper with excellent weeding properties 137 g/m <sup>2</sup>		ORATAP LT 95, M MT 80P
	ORACAL® 751C	High Performance Cast	High-performance cast PVC film 60 micron	117 colours (G) Black/white (M)	Solvent polyacrylate permanent	Special silicone coated paper with excellent weeding properties 137 g/m <sup>2</sup>		ORATAP LT 95, M MT 80P
	ORACAL® 638	Wall Art	Soft PVC film 80 micron	57 colours (M)	Polyacrylate removable	Silicone coated paper 135 g/m <sup>2</sup>		ORATAP
	ORACAL® 383	Ultraleaf Cast	Cast metallised film 85 micron	Chrome Gold (G)	Solvent polyacrylate permanent	Special silicone coated paper 135 g/m <sup>2</sup>		ORATAP LT 95, M MT 80P
	ORACAL® 351	Polyester Film	Metallised polyester film 23/50 micron	Chrome (G+M) Chrome-brushed Rose gold Gloss gold on both sides	Solvent polyacrylate permanent	Special silicone coated paper with excellent weeding properties 137 g/m <sup>2</sup>		ORATAP LT 95, M MT 80P
	ORACAL® 8510	Etched Glass Cal	Special PVC film 80 micron	Gold Silver-grey	Solvent polyacrylate permanent	Special silicone coated paper with excellent weeding properties 137 g/m <sup>2</sup>		ORATAP LT 95, M MT 80P
	ORACAL® 8710	Dusted Glass Cal	Polymer PVC film 70 micron	Translucent grey	Solvent polyacrylate permanent	Special silicone coated paper with excellent weeding properties 137 g/m <sup>2</sup>		ORATAP
	ORACAL® 8810	Frosted Glass Cast	Cast PVC film 80 micron	5 colours (sparkling effect)	Solvent polyacrylate permanent	Special polyester film, 100 micron		ORATAP MT 52, M
Wrapping	ORACAL® 970RA	Premium Wrapping Cast	High-performance cast PVC film 110 micron	77 colours (G) 21 colours (M) black (SM)	Solvent polyacrylate repositionable permanent	PE-coated RapidAir® silicone paper 145 g/m <sup>2</sup>		n/a
	ORACAL® 970RA	Premium Shift Effect Cast	High-performance cast PVC film, 110 micron	9 colours (G+M)	Solvent polyacrylate repositionable permanent	PE-coated RapidAir® silicone paper 145 g/m <sup>2</sup>		n/a
	ORACAL® 970RA	Premium Special Effect Cast	High-performance cast PVC film, 110 micron	8 colours (G) 2 colours (M)	Solvent polyacrylate repositionable permanent	PE-coated RapidAir® silicone paper 145 g/m <sup>2</sup>		n/a
	ORACAL® 975	Premium Structure Cast	Cast PVC film 150 micron	Carbon: 7 colours, Brushed: 4 colours, Honeycomb: 4 colours, Cocoon: 1 colour	Solvent polyacrylate repositionable permanent	PE coated paper one side siliconised 143 g/m <sup>2</sup>		n/a
Printing	ORACAL® 352	Print Polyester	Polyester film 23/50 micron	Transparent, Chrome (M+G), Gold (G), Gold on both sides (G), White, Chrome brushed	Solvent polyacrylate permanent	PE coated paper one side siliconised 160 g/m <sup>2</sup>		ORATAP
	ORACAL® 301F	Print Polyester	Polyester film 50 micron	White (G) Chrome Chrome brushed	Modified solvent polyacrylate permanent	Polyester film siliconised 100 micron		ORATAP
	ORALUX® 9300	Luminescent Cast	Three-layered, light yellow, cadmium-free high- performance PVC film, 150 micron	Light yellow (G satin)	Solvent polyacrylate permanent	PE coated paper one side siliconised 143 g/m <sup>2</sup>		ORATAP
Digital Printing	ORAJET® 3951	Digital Printing Cast	Premium cast PVC film 55 micron	White (G) Transparent (G)	Solvent polyacrylate repositionable permanent, grey or transparent	PE coated paper one side siliconised, 143 g/m <sup>2</sup>	ORAGUARD® 293F / 293 / 290 / 290F	n/a
	ORAJET® 3350	Digital Printing Polyester	Polyester film 50 micron	Chrome	Solvent polyacrylate permanent	PE coated paper one side siliconised, 143 g/m <sup>2</sup>		ORATAP
	ORAJET® 3851	Digital Printing Film	Polymeric PVC film 80 micron	Silvergry with fine structure (090)	Solvent polyacrylate permanent	Double sided PE coated paper, one side siliconised, 143 g/m <sup>2</sup>		
	ORACAL® 3301F	Digital Printing Polyester	Polyester film 50 micron	Chrome Chrome brushed	Modified solvent polyacrylate, permanent	Polyester film siliconised, 100 micron		ORATAP
	ORAJET® 3930	Digital Printing Luminescent Cast	Three-layered, light yellow, cadmium-free PVC film, 150 micron	Light yellow (G)	Solvent polyacrylate permanent	PE coated paper one side siliconised 143 g/m <sup>2</sup>	ORAGUARD® 293	ORATAP LT 95, M MT 80P
Stone Guard	ORAGUARD® 2815GF+	Stone Guard Film	Top-coated polyure- thane film, 160 micron	Transparent (G) with super- hydrophobic surface	Solvent polyacrylate, permanent	Matt PET, 75 micron		n/a
	ORAGUARD® 2815MF+	Stone Guard Film	Top-coated polyure- thane film, 160 micron	Transparent (M) with super- hydrophobic surface	Solvent polyacrylate, permanent	Matt PET, 75 micron		n/a
	ORAGUARD® 2815GF	Stone Guard Film	Top-coated polyure- thane film, 160 micron	Transparent (G)	Solvent polyacrylate, permanent	Matt PET, 75 micron		n/a

1 Service lives given here are only valid for vertical application in climate zone 1 in marine environments. For other climate zones and more details see the application instructions. For printing materials, the service lives given are only valid for unprinted films.

## Reflective Materials

Product	Short name	Product Approval	Colours / surfaces	Backing	Approval
ORALITE® FD 1403	Imo	IMO resolution A.658(16) Type I and II	Silver (G)	PSA or textile	U.S. Department of Transportation specification USCG 46 CFR, section 164.018 and International Maritime Organisation (IMO) resolution A.658(16) Type I & II.
ORALITE® FD 1404	Imo Flex	IMO resolution A.658(16) Type I	Silver (G)	PSA or textile	U.S. Department of Transportation specification USCG 46 CFR, section 164.018 and International Maritime Organisation (IMO) resolution A.658(16) Type I.
ORALITE® VC 310	Marine	n/a	Red (G), Yellow (G), Blue (G), Green (G)	PSA	n/a

Recommended application tapes	Area of use	Adhesive Power	Minimum appl. Temp.	Service life for marine applications ①	Widths (mm)	Lengths (m)
E <sup>®</sup> HT 95, LT 52, T 52, MT 72, MT 95	Outdoor and indoor use. For full colour wrapping, or single colour decals.	18 N/25 mm	> +8° C	Black/white: 8 years Transparent/coloured: 6 years, Metallic: 4 years selected colours**: 2 years	1260	25 50
E <sup>®</sup> HT 95, LT 52, T 52, MT 72, MT 95	Outdoor and indoor use. For full colour wrapping, or single colour decals.	18 N/25 mm	> +8° C	Black/white: 6 years Transparent/Coloured: 5 years, Metallic: 3 years Gold L, Brilliant Blue L: 1 year	1260 1000 630	50
E <sup>®</sup> LT95	Indoor use. For short term wall decorations.	6 N/25 mm	> +10° C	2 years	1260 630	50
E <sup>®</sup> HT 95, LT 52, T 52, MT 72, MT 95	Outdoor and indoor use. Metallised film for decorative labels, name- and technical plates, decorations and symbols. 3 dimensional embossed texture.	16 N/25 mm	> +10° C	5 years	1220	50
E <sup>®</sup> HT 95, LT 52, T 52, MT 72, MT 95	Outdoor and indoor use. Metallised film for decorative labels, name- and technical plates, decorations and symbols. Available as double sided gold for applications that are seen from both sides.	12 N/25 mm	> +8° C	2 years Gold (G): 1 year	1260	50
E <sup>®</sup> HT 95, LT 52, T 52, MT 72, MT 95	Indoor and outdoor decorative design uses on glass, especially shop windows and doors.	18 N/25 mm (on glass) 16 N/25 mm (on acrylic glass)	> +8° C	7 years	1260 1000	50
E <sup>®</sup> HT 95	Developed for decorative glass or mirror design elements, to achieve a translucent etched glass appearance. Great for shop windows, room dividers and glass doors.	18 N/25 mm (on glass) 16 N/25 mm (on acrylic glass)	> +8° C	7 years	1260	50
E <sup>®</sup> HT 95, MT 95, MT 72	Long-term indoor and outdoor decorative design; developed for long-term decorative sparkling effects on glass and glass like shop windows and doors.	16 N/25 mm	> +8° C	7 years	1260 1000 630	500 378 25 50
	Outdoor and indoor use. For full colour wrapping, or single colour decals. The RapidAir <sup>®</sup> technology enables easy and quick application, without air inclusion.	18 N/25 mm	> +15° C	Black/white: 10 years Coloured: 8 years Metallic: 4 years selected colours*: 2 years	1520	25 50
	Outdoor and indoor use. For full colour applications. Shade shifter effect: colour will change depending on viewing angle. The RapidAir <sup>®</sup> technology enables easy and quick application, without air inclusion.	18 N/25 mm	> +15° C	2 years	1520	25 50
	Outdoor and indoor use. For full colour applications. This material has a unique glitter effect. The RapidAir <sup>®</sup> technology enables easy and quick application, without air inclusion.	18 N/25 mm	> +15° C	2 years	1520	25 50
	Outdoor and indoor use. To be used as a tuning film for design details. Comes in seven exciting textures and a range of colours.	22 N/25 mm	> +15° C	Black/white/coloured: 4 years	1520	25 50
E <sup>®</sup> LT 95, MT 95	Outdoor and indoor use. Printing film for decorative labels, name- and technical plates, decorations and symbols.	12 N/25 mm	> +8° C	2 years Gold (G): 1 year	1260 1000	50 + available in sheets 700 x 500 mm, 700 x 1000 mm
E <sup>®</sup> MT 95	Outdoor and indoor use, as well as doming. Printing film for decorative labels, name- and technical plates, decorations and symbols.	25 N/25 mm	> +8° C	2 years	1260 1000	50 + available in sheets 700 x 500 mm, 700 x 1000 mm
E <sup>®</sup> MT 95	Indoor use. Typically unprinted markings for danger spots and decorative elements that are visible at night.	18 N/25 mm	> +8° C	5 years	1260 1000	10 25 50
	Outdoor and indoor.	18 N/25 mm	> +8° C	White: 10 years Transparent: 8 years	1520 1370	1050 50
E <sup>®</sup> LT 95, MT 95	Outdoor and indoor use. Digital printing film for decorative labels, name- and technical plates, decorations and symbols.	12 N/25 mm	> +8° C	2 years	1370	25 50 MOQ: 2000m
	Digital printing glass decor film, for decorative design of shop windows and glass doors.	18 N/25 mm	> +8° C	7 years	1370	50 MOQ: 3000m
E <sup>®</sup> MT 95	Outdoor and indoor use, as well as doming. Digital printing film for decorative labels, name- and technical plates, decorations and symbols.	25 N/25 mm	> +8° C	2 years	1370	25 50 MOQ: 1000m
E <sup>®</sup> HT 95, LT 52, T 52, MT 72, MT 95	Outdoor and indoor use. For digitally printed marking signs for danger spots and decorative elements that are visible at night.	18 N/25 mm	> +8° C	5 years	1370	10 25 50
	For application as surface guard films to protect surfaces against mechanical influences.	17 N/25 mm	> +10° C	10 years	1520	15 50
		17 N/25 mm	> +10° C	10 years	1520	15 50
		17 N/25 mm	> +10° C	10 years	760 1520	15 50

\* Copper, Orient brown metallic, Bronze, Pyrite, Graphite metallic, Red gold L metallic and Nacre

\*\* Brilliant blue L, copper, gold, metallic, bronze, pale gold, pyrite, redgold L, foliage green metallic, steppe green metallic

Area of use	Minimum appl. Temp.	Widths (mm)	Lengths (m)
Reflective material for life rafts, personal flotation devices and spray-wear.	> 15° C	50	50
Flexible reflective marine tape for inflatable devices, inflatable personal flotation devices and immersion suits.	> 15° C	50	50
Coloured reflective film visible at distances of more than 1 km. For application onto rigid surfaces, e.g. bouys or boats.	> 15° C	775	45,7



Engineered to Achieve Perfection™

# Marine applications

**ORAFOL Europe GmbH**  
Orafolstraße 1, D-16515 Oranienburg, Germany

Tel: +49 (0)3301 864-0 / [graphic.innovations@orafol.de](mailto:graphic.innovations@orafol.de)

Find out more about our products at:  
[www.orafol.com](http://www.orafol.com) · [www.orafoleurope.com](http://www.orafoleurope.com)

