



Reg.48 ECE 104

Reflective Conspicuity Tape Guide Practical Information and Solutions

www.reflexite.eu


 **Reflexite**[®]
REFLECTIVE SOLUTIONS

Get your vehicle marked up to the new European safety requirements

Reflexite® is the leading manufacturer of ECE 104 approved marking tapes. Our reflective tapes are known for being not only safe and visible, but also tough and durable as well as easy to apply.

The Reflexite® VC 104+ range includes a complete product line for application onto rigid bodies, onto circular tanker shapes, as well as onto curtain sides.

Reflexite® VC 104+ marking tape



Product benefits include:

- Outstanding long distance night time visibility
- Easy to handle and apply
- No edge sealing required
- Easy to cut
- Polyester construction means no cracking
- Resistant to power washing
- Highly resistant to most industrial cleaning processes
- 10 year warranty
- Single layer prismatic construction with adhesive backing
- Approved to ECE 104 Class C
- Standard roll size: 50mm x 50m

Vehicle Types included in Registration 48-03 are:

- Trucks 7.5 t (N2+N3)
- Trucks 3.5 t (O3+O4)

To find out more information visit www.reflexite.eu or email info@reflexite.eu if you have any questions.

With Reflexite® tapes it is easy to mark up your fleet...

How to apply to your vehicle in 3 easy steps:



STEP 1 - After surface cleaning and marking up where the line should go, simply start sticking on the tape.



STEP 2 - Cut around e.g. rivets with a normal standard knife.



STEP 3 - Use a squeegee to firmly tack the tape to the surface, and to release any trapped air bubbles.

The VC 104+ range includes...



Reflexite® VC 104+ Rigid Grade

Outstanding tape for rigid vehicles for night-time visibility. This tape is easy to handle and apply with no edge sealing required. 10 year warranty. ECE 104 Reg 48 compliant.




Reflexite® VC 104+ Curtain Grade

Unique vinyl construction, makes this tape ideal for application onto trailer curtains. Highly resistant to cleaning processes and comes with a 3 year warranty. ECE 104 Reg 48 compliant.



Reflexite® VC 104+ Tanker Stickers

Retroreflective tanker stickers for application onto rigid surfaces. Available in peel off strips – quick and easy to apply. ECE 104 Reg 48 compliant.



Reflexite® VC 104+ Segmented

NEW! From Reflexite®, microprismatic tape with segmented look. Comes as a single strip for ease of application. Quick and easy to apply and also useful for repair work. ECE 104 Reg 48 compliant.



Reflexite® VC 104+ Imagine

IMAGINE! Your logo in lights. Reflective tape for rigid and curtain grade which can be customised with a logo. Makes any truck stand out from the crowd. ECE 104 Reg 48 compliant.



Don't worry! All tapes are quick and easy to apply with full application instructions in all languages included with each roll. For information regarding the application of our VC 104+ range to your vehicle, see the back page for details. All Reflexite® tapes are ECE 104 Reg 48 compliant.

To find out more information visit www.reflexite.eu or email info@reflexite.eu if you have any questions.

What you need to know about ECE 104 markings...


Where should the tapes be applied?

To the rear: Here a full contour marking is required, i.e. a full 'box'.

To the sides: Here you can choose to do either a full contour ('box') marking, or a linemarking of the length of the vehicles plus marking of the upper corners if the design of the vehicles allows for this. It is a good idea to mark also the tractor (e.g. on the door) to visually get a marking of the full length of the vehicles, however this is not an obligation. Minimum 80% of the length of the vehicle (excl. the length of the cabin) must be marked. The lower line of the marking tape must be placed minimum 25cm from the ground, and in a height of maximum 150cm. This can in special cases be extended to 250cm.

The length of the upper corner markings must be minimum 25cm. Upper corner markings should be applied as high as practical, but within 40cm of the upper extremity of the vehicle. In cases where a top corner marking is not possible due to the construction of the vehicle, a line marking on its own is allowed.

ECE 104 / R.48-03 Application Guidelines






Minimum 80%*
*(Down to 60% or 40% for difficult or especially difficult applications)



Maximum 150cm*
Minimum 25cm
*(Special cases: 250cm)

Minimum 25cm

Applications on different vehicle types:



For more information on these regulations and our VC 104+ range visit www.reflexite.eu

If you have any questions you can email info@reflexite.eu or call one of our European offices below for further information.

Scandinavia, Greece, Eastern Europe & Middle East: Telephone +45 45761122

Germany, Netherlands, Austria & Switzerland: Telephone +49 3644554801

France & Belgium: Telephone +33 4 72 19 19 10

Italy: Telephone +39 02 38093415

UK & Ireland: Telephone +44 1865 396959

Spain & Portugal: Telephone +34 941 381 592

Reflexite® is a registered trademark of Reflexite® Corporation, Avon CT USA. An Employee-Owned company.

